

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : AQUALUX ENAMEL PAINT white and colour, solvent-free  
Art. No. 5111, 5102

Revision date : 04.12.2015 Version (Revision) : 3.0.0 (2.0.0)

Print date : 07.12.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

AQUALUX ENAMEL PAINT white and colour, solvent-free  
Art. No. 5111, 5102

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product Categories [PC] Coatings and paints, fillers, putties, thinners

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/only representative/downstream user/distributor)

BIOFA Naturprodukte W.Hahn GmbH

Street : Dobelstr.22

Postal code/city : D-73087 Bad Boll

Telephone : +49 (0) 7164-9405-0

Telefax : +49 (0) 7164-9405-94

#### Information contact :

Respondent department: product safety department

Contact: Mr. Andrew Beuttenmüller

E-mail address of the competent person responsible for the SDS: a.beuttenmueller@biofa.de

### 1.4 Emergency telephone number

During office time 7:30 to 16:30: +49 (0) 7164-9405-0

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

None

### 2.2 Label elements

None

### 2.3 Other hazards

None known.

Results of PBT and vPvB assessment: Not applicable.

## SECTION 3: Composition / information on ingredients

### 3.2 Mixtures

Hazardous ingredients

None

## SECTION 4: First aid measures

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : AQUALUX ENAMEL PAINT white and colour, solvent-free  
Art. No. 5111, 5102

Revision date : 04.12.2015 Version (Revision) : 3.0.0 (2.0.0)

Print date : 07.12.2015

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. Clean with detergents. Avoid solvent cleaners. In case of skin reactions, consult a physician.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. If necessary remove contact lenses and continue to flush with plenty of clean, fresh water.

#### After ingestion

Call a physician immediately. Put victim at rest, cover with a blanket and keep warm. Do NOT induce vomiting. If vomiting occurs, be sure to avoid choking. Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam Carbon dioxide (CO<sub>2</sub>) Water spray Extinguishing powder

#### Unsuitable extinguishing media

Full water jet

### 5.2 Special hazards arising from the substance or mixture

"Fire will produce dense black smoke. Exposure to danger decomposition products may cause a health hazard. " In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Use suitable breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols. See protective measures under point 7 and 8.

### 6.2 Environmental precautions

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** AQUALUX ENAMEL PAINT white and colour, solvent-free  
Art. No. 5111, 5102

**Revision date :** 04.12.2015 **Version (Revision) :** 3.0.0 (2.0.0)

**Print date :** 07.12.2015

Do not allow to enter into surface water or drains. If the product contaminates drains, lakes, rivers or sewers, inform the appropriate authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

#### For cleaning up

Larger amounts have to be pumped out. Contain and collect small spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Preferably clean with a detergent. Avoid using solvents.

### 6.4 Reference to other sections

See protective measures under point 7 and 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. When using do not eat, drink, smoke, sniff. Wear personal protection equipment (refer to section 8).

Keep container tightly closed. Never use pressure to empty container. Keep/Store only in original container. Comply with health and safety regulations.

Do not allow to enter into surface water or drains.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

#### Hints on joint storage

Keep away from: Alkali (lye). Acid Oxidising agent

**Storage class (TRGS 510) :** 12

#### Further information on storage conditions

Observe label and technical data sheet precautions. Keep only in the original container in a cool, well-ventilated place.

Protect against Heat. Frost Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Finishing and coloured lacquer for wood and metal substrates indoors.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

None

### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation or good general extraction.

#### Personal protection equipment

Safety data sheet of raw material suppliers or taken by accredited Laboratories or have been determined internally

#### Eye/face protection

Suitable eye protection Eye glasses with side protection

#### Skin protection

After cleaning apply high-fat content skin care cream.

#### Hand protection

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** AQUALUX ENAMEL PAINT white and colour, solvent-free  
Art. No. 5111, 5102

**Revision date :** 04.12.2015 **Version (Revision) :** 3.0.0 (2.0.0)

**Print date :** 07.12.2015

Tested protective gloves must be worn DIN EN 374  
Breakthrough times and swelling properties of the material must be taken into consideration.

By long-term hand contact Suitable material : Butyl caoutchouc (butyl rubber)  
Thickness of the glove material 0,7 mm  
Breakthrough time (maximum wearing time) > 480 min.

By short-term hand contact Suitable material : NBR (Nitrile rubber)  
Thickness of the glove material 0,4 mm  
Breakthrough time (maximum wearing time) > 120 min.

### Body protection

Personnel should wear impermeable protective work clothing.  
Recommended material Natural fibres (e.g. cotton)

### Respiratory protection

Usually no personal respiratory protection necessary.  
Respiratory protection necessary at: spray application  
Suitable respiratory protection apparatus  
Filtering device (full mask or mouthpiece) with filter: P 2

### Environmental exposure controls

See section 7. No additional measures necessary.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state :** Liquid.  
**Colour :** Depending on colour

#### Odour

characteristic

#### Odour threshold

Not determined

#### Safety relevant basis data

<b>Melting point/melting range :</b>		No data available	
<b>Initial boiling point and boiling range :</b>	( 1013 hPa )	>	100 °C
<b>Decomposition temperature :</b>		No data available	
<b>Flash point :</b>		not applicable	DIN EN ISO 1523
<b>Ignition temperature :</b>		not applicable	
<b>Lower explosion limit :</b>		not applicable	
<b>Upper explosion limit :</b>		not applicable	
<b>Vapour pressure :</b>	( 50 °C )	ca.	23 hPa
<b>Density :</b>	( 20 °C )		1,23 - 1,28 g/cm <sup>3</sup> DIN 53217
<b>Solvent separation test :</b>	( 20 °C )		not determined
<b>Water solubility :</b>	( 20 °C )		completely mixable
<b>pH :</b>			7 - 7,2
<b>Flow time :</b>	( 20 °C )	>	200 s DIN-cup 4 mm
<b>Viscosity :</b>	( 20 °C )		1200 - 2100 mPa.s
<b>Solid content :</b>			55 - 60 Wt %



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** AQUALUX ENAMEL PAINT white and colour, solvent-free  
Art. No. 5111, 5102

**Revision date :** 04.12.2015 **Version (Revision) :** 3.0.0 (2.0.0)

**Print date :** 07.12.2015

Toxicological data are not available.

**Germ cell mutagenicity**

Toxicological data are not available.

**Reproductive toxicity**

Toxicological data are not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

No information available.

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4 Mobility in soil

No data available

#### Adsorption/Desorption

### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

### 12.6 Other adverse effects

No data available

### 12.7 Additional ecotoxicological information

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Do not allow to enter into surface water or drains.

#### Product/Packaging disposal

Wastes and empty containers must be classified in accordance with the Waste Catalogue Ordinance.

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

08 01 12

##### Waste name

Waste paint and varnish other than those mentioned in 08 01 11\*.

#### Waste treatment options

##### Appropriate disposal / Package

Packing which cannot be properly cleaned must be disposed of.

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous goods in sense of this transport regulation.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : AQUALUX ENAMEL PAINT white and colour, solvent-free  
Art. No. 5111, 5102

Revision date : 04.12.2015 Version (Revision) : 3.0.0 (2.0.0)

Print date : 07.12.2015

## 14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

## 14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

## 14.4 Packing group

No dangerous goods in sense of this transport regulation.

## 14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

## 14.6 Special precautions for user

None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No. 2037/2000 concerning materials, which cause damage to the ozone layer. Not applicable

Directive 96/82/EC for danger control following severe accidents with dangerous substances Not subject to 96/82/EC

EU legislation

**Other regulations (EU)**

**Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)**

VOC-value (in g/L) : 30

**National regulations**

Restrictions of occupation

None, if handled according to order.

**Störfallverordnung**

Not subject to StörfallVO.

**Technische Anleitung Luft (TA-Luft)**

Weight fraction (Number 5.2.5. II) : < 3 %

**Water hazard class (WGK)**

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

**Other regulations, restrictions and prohibition regulations**

**Betriebssicherheitsverordnung (BetrSichV)**

No flammable liquid according to BetrSichV.

**VOC-Regulation (31. BImSchV)**

VOC product category : Paints and varnishes

VOC subcategory of the product : Interior/exterior trim and cladding paints for wood, metal or plastic

VOC limit value step II (g/L), ready-to-use condition : 130

Maximum VOC content (g/L) of the product in a ready to use condition : 30

**Additional information**

Giscode : Not applicable

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

## SECTION 16: Other information

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** AQUALUX ENAMEL PAINT white and colour, solvent-free  
Art. No. 5111, 5102

**Revision date :** 04.12.2015 **Version (Revision) :** 3.0.0 (2.0.0)

**Print date :** 07.12.2015

---

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 07. Hints on joint storage - Storage class · 14. UN proper shipping name - Land transport (ADR/RID) · 14. UN proper shipping name - Sea transport (IMDG) · 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR) · 14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

### 16.2 Abbreviations and acronyms

None

### 16.3 Key literature references and sources for data

Regulation (EC) No. 1907/2006 (REACH), 1272/2008 (CLP) in the current version.  
Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP] Transport regulations according ADR, RID, IMDG, IATA in the current version.  
Safety data sheet taken from raw material suppliers or taken by accredited Laboratories or have been determined internally

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

No information available.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

None

### 16.6 Training advice

None

### 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---